K COMUNELLO
AUTOMATION

TACT
INDEX

ACTUATOR FOR
SLIDING GATES
VERSIONS 230V AND 24V

Life
made
easy

MADE IN COMUNELLO

NEW **TACT**

Complete range of New generation security accessories

Protection
Design
Comfort
Simplicity
Reliability
Lighting
Duration
Technology

TACT

Digital keyboard selector in die-cast aluminum, up to 250 codes storable

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Comfort:
Keys with backlit numbers clearly visible in the dark.

Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the keyboard. Large space dedicated to wiring.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position even after installation

Durability:
Structure completely in die-cast aluminum

29mm
30 mm
65 mm
65.5 mm
97 mm

◆	0101	▤	⚡	IP	◇	Kg
TACT	GTACTSTDN0B00A	Digital keyboard selector, in aluminum (working via TACT DEC)	24 VDC/VAC	54	1	0,35 Kg

A pre-assembled gasket protects the electronics from any entry of insects or water.

Gasket to protect the keyboard selector.

The 4 slotted holes allow adjustment of the position even after installation

Structure completely in die-cast aluminum

Cable passage arranged both at the bottom and at the rear of the photocell.

TACT RADIO

Digital keyboard selector, radio version

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Comfort:
Keys with backlit numbers clearly visible in the dark.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position even after installation

Durability:
High quality plastic material with anti-UV additives and embossed painting

Smart:
Up to 10 codes that can be memorized with the possibility of canceling and reprogramming the single code.

29mm
30 mm
65 mm
65.5 mm
97 mm

◆	0101	▤	⚡	IP	◇	Kg
TACT RADIO	GTACTRADN0B00A	Digital keyboard selector, radio	3 VDC Battery	54	1	0,15 Kg

A pre-assembled gasket protects the electronics from any entry of insects or water.

Gasket to protect the keyboard selector.

The 4 slotted holes allow adjustment of the position even after installation

Structure in unshielded plastic material with anti-UV additives

TACT CARD

**Digital transponder selector in die-cast aluminum, up to 250 memorable cards / tokens**

2 channels decoder for TACT / TACT-CARD

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.
Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the selector. Large space dedicated to wiring.
Design:
New attractive design with no visible screws
Adjustment:
The slotted holes allow adjustment of the position even after installation
Durability:
Structure completely in die-cast aluminum

Available from 2021

Compatibility: TACT TOKEN   TACT BADGE

30 mm   65 mm   29mm
65.5 mm   97 mm

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.
Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the keyboard. Large space dedicated to wiring.
Design:
New attractive design with no visible screws
Adjustment:
The slotted holes allow adjustment of the position even after installation
Durability:
Structure completely in die-cast aluminum

Available from 2021

30 mm   65 mm   29mm
65.5 mm   97 mm

				IP		Kg
TACT CARD	GTACTCARN0B00A	Digital transponder selector in aluminum (working via TACT DEC)	24 VDC/VAC	54	1	0,27 Kg

				IP		Kg
TACT DEC	GTACTDECN0B00A	Decoder for TACT / TACT-CARD	24 VDC/VAC	54	1	0,27 Kg

A pre-assembled gasket protects the electronics from any entry of insects or water.

Structure completely in die-cast aluminum

The 4 slotted holes allow adjustment of the position even after installation

Large space dedicated to wiring

Cable passage arranged both at the bottom and at the rear of the photocell.

A pre-assembled gasket protects the electronics from any entry of insects or water.

Structure completely in die-cast aluminum

The 4 slotted holes allow adjustment of the position even after installation

Large space dedicated to wiring

Cable passage arranged both at the bottom and at the rear of the photocell.

INDEX

Key selector

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the selector.
Large space dedicated to wiring.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position even after installation

Strength:
Structure completely in die-cast aluminum

44 mm   65 mm   45 mm
67.5 mm   97 mm

◆	0101	▤	IP	📦	Kg
INDEX	GINDEXSTN0B00A	Key selector with standard cylinder	54	1	0,28 Kg

A pre-assembled gasket protects the electronics from any entry of insects or water.

Structure completely in die-cast aluminum

The 4 slotted holes allow adjustment of the position even after installation

Large space dedicated to wiring

Cable passage arranged both at the bottom and at the rear of the photocell.

INDEX EURO

Key selector with European cylinder

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the keyboard.
Large space dedicated to wiring.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position

**Strength:**
Structure completely in die-cast aluminum

44 mm   65 mm   45 mm
67.5 mm   97 mm

◆	0101	▤	IP	📦	Kg
INDEX EU	GINDEXEUN0B00A	Key selector with European cylinder	54	1	0,36 Kg

A pre-assembled gasket protects the electronics from any entry of insects or water.

Structure completely in die-cast aluminum

The 4 slotted holes allow adjustment of the position even after installation

Large space dedicated to wiring

Cable passage arranged both at the bottom and at the rear of the photocell.

INDEX INSERT

Recessed wall key selector

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the selector.
Large space dedicated to wiring.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position

Strength:
Structure completely in die-cast aluminum

70 mm
52 mm
70 mm
56 mm
52 mm
88 mm

◆	0101	📄	IP	📦	Kg
INDEX INSERT	GINSEXSTN0B00	Recessed wall key selector, adapter bowl included	IP 54	1	0,33 Kg

	◆	0101	📄	📦	Kg
	G-BOX	GBOXUNSTD0B00	Adapter bowl INDEX INSERT	20	0,025 kg

The slotted holes allow adjustment of the position even after installation

A pre-assembled gasket protects the electronics from any entry of insects or water. This gasket also separates the card from the 4 fixing screws and the cable passage.

Structure completely in die-cast aluminum

INDEX INSERT EURO

Recessed wall key selector with European cylinder

Protection:
Electronics protected by a preassembled gasket on a dedicated housing.

Simplicity and ease of installation:
Cable passage arranged both at the bottom and at the rear of the selector.
Large space dedicated to wiring.

Design:
New attractive design with no visible screws

Adjustment:
The slotted holes allow adjustment of the position

Strength:
Structure completely in die-cast aluminum

70 mm
52 mm
70 mm
56 mm
52 mm
88 mm

◆	0101	📄	IP	📦	Kg
INDEX INSERT EU	GINSEXEUN0B00	Recessed wall key selector with European cylinder adapter bowl included	IP 54	1	0,45 Kg

	◆	0101	📄	📦	Kg
	G-BOX	GBOXUNSTD0B00	Adapter bowl INDEX INSERT	20	0,025 kg

The slotted holes allow adjustment of the position even after installation

A pre-assembled gasket protects the electronics from any entry of insects or water. This gasket also separates the card from the 4 fixing screws and the cable passage.

Structure completely in die-cast aluminum

Complementary accessories

COLUMNS

TACT BADGE
Compatible with: TACT CARD

◆	0101	▤	◈	Kg
TACT-BADGE	GTACTCRDN0B00	Badge for TACT CARD	10	0,06 Kg

TACT TOKEN
Compatible with: TACT CARD

◆	0101	▤	◈	Kg
TACT-TOKEN	GTACTTKNN0B00	TOKEN for TACT CARD	10	0,06 Kg

Compatible with: DART, DART SYNC, TACT, TACT RADIO, TACT CARD, INDEX, INDEX EU

Compatible with DART SLIM, DART SLIM SYNC

MAST 50 **MAST 100** **MAST TWIN** **MAST 50 SLIM** **MAST 100 SLIM**

◆	0101
MAST 50	GMAST005N0G00A
MAST 100	GMAST010N0G00A
MAST 100 TWIN	GMASTT10N0G00A

◆	0101
MAST SLIM 50	GMASTS05N0G00A
MAST SLIM 100	GMASTS10N0G00A

100%

Made in Comunello
Made in Italy

Automation for now and for the
FUTURE

The Comunello Group is built on a solid, reliable, well-structured manufacturing base. The group comprises 5 divisions in which all the products of each division are 100% designed and produced at company headquarters in Italy. This total control over manufacturing processes guarantees the highest levels of quality. Comunello was founded in 1965 and today exports to more than 105 countries worldwide.

A company with more than 50 years of manufacturing experience, a clear international vision based on the quality of our design, our groundbreaking technology, the solidity of our production, and our commitment to technical service and customer care.

COMUNELLO
AUTOMATION
AUTOMATION FOR GATES, DOORS AND BARRIERS

FRATELLI COMUNELLO S.P.A.

HEADQUARTERS
Via Zarpellon, 33
36027 San Giuseppe di Cassola, Vicenza, Italy
Tel. +39 0424 585111 Fax +39 0424 533417
info@comunello.it www.comunello.com

REGISTERED OFFICE
Via Cassola,64 - C.P.79
36027 Rosà, Vicenza, Italy
Tel. +39 0424 585111 Fax +39 0424 533417
info@comunello.it www.comunello.com

OFFICIAL DEALER: